


51

2,54 U

Direct connectors for insert cards, pitch 2.5/2.54/5.0/ 5.08 mm



Socket board for direct mating, with solder eyes



---

State: Phasing out

---

51

2,54 U



#### Environmental conditions

Temperature range -25 °C/+100 °C

#### Materials

Insulating body PPO  
Contact spring CuSn, pre-nickel and tin-plated

#### Mechanical data

Mating with Leiterplatte 1,5 ± 0,14 mm

#### Electrical data (at T<sub>amb</sub> 20 °C)

Contact resistance ≤ 3 mΩ  
Rated current 5 A  
Rated voltage 250 V AC  
Rated impulse voltage ≥ 1,5 kV

#### Associated products

##### Accessories

☞ F ☞ FD ☞ FF  
☞ FL ☞ SP 3

Designation	Pole Number	PU (Pieces)	MDQ (Pieces)
2,54 U 03	3	200	2000
2,54 U 04	4	200	2000
2,54 U 05	5	200	2000
2,54 U 06	6	200	2000
2,54 U 07	7	200	2000
2,54 U 08	8	200	2000
2,54 U 09	9	200	2000
2,54 U 10	10	200	2000
2,54 U 11	11	200	2000
2,54 U 12	12	200	2000
2,54 U 13	13	200	2000
2,54 U 14	14	200	2000
2,54 U 15	15	200	2000
2,54 U 16	16	200	2000
2,54 U 17	17	200	2000
2,54 U 18	18	200	2000
2,54 U 19	19	200	2000
2,54 U 20	20	200	2000
2,54 U 21	21	200	2000
2,54 U 22	22	200	2000
2,54 U 23	23	200	2000
2,54 U 24	24	200	2000
2,54 U 25	25	200	2000
2,54 U 26	26	200	2000
2,54 U 27	27	200	2000
2,54 U 28	28	200	2000
2,54 U 29	29	200	2000
2,54 U 30	30	200	2000
2,54 U 31	31	200	2000
2,54 U 32	32	200	2000
2,54 U 33	33	200	2000
2,54 U 34	34	200	2000
2,54 U 35	35	200	2000
2,54 U 36	36	200	2000
2,54 U 37	37	200	2000
2,54 U 38	38	200	2000

51

2,54 U

Designation	Pole Number	PU (Pieces)	MDQ (Pieces)
2,54 U 39	39	200	2000
2,54 U 40	40	200	2000
2,54 U 41	41	200	2000
2,54 U 42	42	200	2000
2,54 U 43	43	200	2000
2,54 U 44	44	200	2000
2,54 U 45	45	200	2000
2,54 U 46	46	200	2000
2,54 U 47	47	200	2000
2,54 U 48	48	200	2000
2,54 U 49	49	200	2000
2,54 U 50	50	200	2000
2,54 U 51	51	200	2000
2,54 U 52	52	200	2000
2,54 U 53	53	200	2000
2,54 U 54	54	200	2000
2,54 U 55	55	200	2000
2,54 U 56	56	200	2000
2,54 U 57	57	200	2000
2,54 U 58	58	200	2000
2,54 U 59	59	200	2000
2,54 U 60	60	200	2000
2,54 U 61	61	200	2000
2,54 U 62	62	200	2000
2,54 U 63	63	200	2000

**Packaging:**

in bulk, in a cardboard box