Kodierungen nach RAST 2,5 für Duomodul-Führungsrahmen 3500
Keyings according to RAST 2.5 for Duomodul guide frame 3500
Codages suivant RAST 2,5 pour cadre de guidage Duomodul 3500

Lumberg
passion for connections





3500

Für diesen Führungsrahmen schlägt Lumberg die unten dargestellten Kodierungen vor. Weitere Kodierungen sind auf Anfrage möglich.



Bezeichnung der Kodieröffnungen

Steckweise direkt, auf den Leiterplattenrand:
Kodierung durch Kodiernasen am Steckverbinder und entsprechende Öffnungen am Führungsrahmen

Alle Zeichnungen in Steckrichtung (*) gesehen

3500

For this guide frame, Lumberg proposes the keyings listed below. Further keyings are possible on request.



Designation of keying gaps

Direct connection, with the printed circuit board edge:
Keying by means of keying noses at the connector and matching gaps at the guide frame

All drawings in view of mating direction (*)

3500

Pour ce cadre de guidage Lumberg propose les codages ci-dessous. Autres codages sont possibles sur demande.



Désignation des ouvertures de codage

Connexion directe, avec le bord de la carte imprimée :
Codage par plots de codage au connecteur et ouvertures correspondantes au cadre de guidage

Tous déssins vus dans le sens d'enfichage (*)

3

3-polig
3 poles
3 pôles

3500 03 K00



Kodierung/keying/codage: –

3500 03 K31



Kodierung/keying/codage: b

3500 03 K35



Kodierung/keying/codage: ac

3500 03 K37



Kodierung/keying/codage: ab

3500 03 K39



Kodierung/keying/codage: cd

4

4-polig
4 poles
4 pôles

3500 04 K00



Kodierung/keying/codage: –

3500 04 K36



Kodierung/keying/codage: bd

5

5-polig
5 poles
5 pôles

3500 05 K00



Kodierung/keying/codage: –

3500 05 K36



Kodierung/keying/codage: c

3500 05 K55



Kodierung/keying/codage: be

Kodierungen nach RAST 2,5 für Duomodul-Führungsrahmen 3500
Keyings according to RAST 2.5 for Duomodul guide frame 3500
Codages suivant RAST 2,5 pour cadre de guidage Duomodul 3500

6

6-polig
6 poles
6 pôles

3500 06 K00



Kodierung/keying/codage: –

3500 06 K33



Kodierung/keying/codage: cf

7

7-polig
7 poles
7 pôles

3500 07 K00



Kodierung/keying/codage: –

3500 07 K37



Kodierung/keying/codage: bdf

8

8-polig
8 poles
8 pôles

3500 08 K00



Kodierung/keying/codage: –

9

9-polig
9 poles
9 pôles

3500 09 K00



Kodierung/keying/codage: –

10

10-polig
10 poles
10 pôles

3500 10 K00



Kodierung/keying/codage: –

11

11-polig
11 poles
11 pôles

3500 11 K00



Kodierung/keying/codage: –

12

12-polig
12 poles
12 pôles

3500 12 K00



Kodierung/keying/codage: –

13

13-polig
13 poles
13 pôles

3500 13 K00



Kodierung/keying/codage: –

3500 13 K01



Kodierung/keying/codage: cegikm

14

14-polig
14 poles
14 pôles

3500 14 K00



Kodierung/keying/codage: –

15

15-polig
15 poles
15 pôles

3500 15 K00



Kodierung/keying/codage: –

16

16-polig
16 poles
16 pôles

3500 16 K00



Kodierung/keying/codage: –

Kodierungen nach RAST 2,5 für Duomodul-Führungsrahmen 3500
Keyings according to RAST 2.5 for Duomodul guide frame 3500
Codages suivant RAST 2,5 pour cadre de guidage Duomodul 3500

17

17-polig
17 poles
17 pôles

3500 17 K00



Kodierung/keying/codage: –

18

18-polig
18 poles
18 pôles

3500 18 K00



Kodierung/keying/codage: –

19

19-polig
19 poles
19 pôles

3500 19 K00



Kodierung/keying/codage: –

20

20-polig
20 poles
20 pôles

3500 20 K00



Kodierung/keying/codage: –